

SECTION 1: IDENTIFICATION

PRODUCT IDENTIFIER: Ultra PondWeed Defense®
PRODUCT DESCRIPTION: A liquid herbicide. EPA Reg. No 82542-14-83742

Date: 09-30-15

MANUFACTURER/IMPORTER/SUPPLIER/DISTRIBUTOR INFORMATION:

COMPANY NAME: Airmax®, Inc.
COMPANY ADDRESS: 15425 Chets Way,
Armada, Michigan 48005
COMPANY TELEPHONE: Office hours (Mon - Fri)
9:00 am to 5:00 pm
(866) 424-7629
COMPANY CONTACT NAME: Main Office
EMERGENCY PHONE NUMBER: Poison Control 800-222-1222

SECTION 2: HAZARD(S) IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

HAZARD CLASSIFICATION

ACUTE ORAL TOXICITY: Category 4;
ACUTE DERMAL TOXICITY: Category 4;
ACUTE INHALATION TOXICITY: Category 2;
ACUTE AQUATIC TOXICITY: Category 4.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

SIGNAL WORD: CAUTION
GHS HAZARD STATEMENTS: Toxic by inhalation. Irritating to eyes and skin. Harmful if swallowed.
GHS HAZARD SYMBOLS:



PRECAUTIONARY STATEMENTS

Harmful if inhaled. Harmful if swallowed. Causes moderate eye irritation. Avoid breathing spray mist. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling before eating, drinking, chewing gum, or using tobacco. Avoid contact with eyes or clothing. Wear protective eyewear. Wear long-sleeved shirt, long pants, socks, shoes and gloves.

DESCRIPTION OF HAZARDS NOT OTHERWISE CLASSIFIED: This pesticide is toxic to aquatic invertebrates.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

<u>INGREDIENT</u>	<u>CAS NUMBER</u>	<u>AVERAGE % BY WEIGHT</u>
Diquat dibromide	85-00-7	37.3%

SECTION 4: FIRST-AID MEASURES

GENERAL: When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.

IF INHALED: Move person to fresh air.
If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible.
Call a poison control center or doctor for further treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice.
Have person sip a glass of water if able to swallow.
Do not induce vomiting unless told to do so by a poison control center or doctor.
Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes.
Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
Call a poison control center or doctor for treatment advice.

NOTES TO PHYSICIAN: To be effective, treatment for ingestion of the product must be IMMEDIATELY. Treatment consists of binding the active ingredient, diquat, in the gut with suspensions of activated charcoal or bentonite clay, administration of cathartics to enhance elimination and removal of diquat from the blood by charcoal hemoperfusion or continuous hemodialysis.

SECTION 5: FIRE-FIGHTING MEASURES

FIRE EXTINGUISHING EQUIPMENT: Use dry chemical, foam or CO2 extinguishing media. Wear full protective clothing and self contained breathing apparatus.

FIRE AND EXPLOSION HAZARDS: This product may form flammable and explosive hydrogen gas when in contact with aluminum. During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

HAZARDOUS DECOMPOSITION PRODUCTS: Flammable hydrogen gas may be formed on contact with aluminum. See "Conditions to Avoid", Section 10. May decompose at high temperatures forming toxic gases.

PPE FOR FIREFIGHTERS/FIRE FIGHTING INSTRUCTIONS: Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated buildings, area, and equipment until decontaminated. Water runoff can cause environmental damage. If water is used to fight fire, dike and collect runoff.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing.

METHODS FOR CLEANING UP:

Control the spill at its source. Contain the spill to prevent from spreading or contaminated soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

SECTION 7: HANDLING AND STORAGE

HANDLING PROCEDURES:

This product reacts with aluminum to produce flammable hydrogen gas. Do not mix or store in containers or systems made of aluminum or having aluminum fittings.

STORING PROCEDURES:

Store the material in well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

WORK/HYGIENIC PROCEDURES:

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing.

SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

EXPOSURE LIMITS:

OSHA PEL:	Not Established
ACGIH TLV:	0.5 mg/m ³ TWA (total No dust); 0.08 mg/m ³ TWA (respirable dust)
NIOSH TWA:	0.5 mg/m ³

ENGINEERING CONTROLS:

Mixers and loaders supporting aerial applications are required to use closed systems that provide dermal protection. The closed system must be used in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4)]. When using the closed system, mixers and loaders PPE requirements may be reduced or modified as specified in the WPS. When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

PERSONAL PROTECTIVE EQUIPMENT:

EYE PROTECTION:	Use splash-proof goggles if needed to prevent liquid from getting into the eyes.
INGESTION:	Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.
SKIN PROTECTION:	Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear. For overhead exposure, wear chemical-resistant headgear.
INHALATION:	A respirator is not normally required when handling this substance. Use effective engineering controls to comply with occupational exposure limits.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Dark brown liquid
ODOR:	Odorless
PH:	4 - 6
SPECIFIC GRAVITY:	1.20g/mL at 20 °C
MELTING POINT:	Not Applicable
WATER SOLUBILITY:	718,000 mg/L @200C and pH 7.2 (Diquat dibromide)
VAPOR PRESSURE:	<10(-8) mmHg@25oC (Diquat dibromide)
FLASH POINT:	Not Applicable
FLAMMABLE LIMITS (% IN AIR):	Not Applicable
AUTOIGNITION TEMPERATURE:	Not Applicable
FLAMMABILITY:	Not Applicable

SECTION 10: STABILITY AND REACTIVITY

CONDITIONS TO AVOID:	Concentrate should not be stored in aluminum containers. Spray solutions should not be mixed, stored or applied in containers other than plastic, plastic-lined steel, stainless steel or fiberglass.
HAZARDOUS POLYMERIZATION:	Will not occur
CHEMICAL STABILITY:	Stable under normal conditions.
MATERIALS TO AVOID:	Strong alkalis and anionic wetting agents (e.g., alkyl and alkylaryl sulfonates). Corrosive to aluminum.
HAZARDOUS DECOMPOSITION:	Flammable hydrogen gas may be formed on contact with aluminum. See "Conditions to Avoid", Section 10. May decompose at high temperatures forming toxic gases.

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY/IRRITATION STUDIES (FINISHED PRODUCT)

Ingestion	Rat (Female): LD50: Slightly Toxic	= 886 mg/kg body weight
Dermal	Rat: LD50: Practically Non-Toxic	>5,050 mg/kg body weight
Inhalation	Rat: LC50:	= 0.62 mg/L air – 4 hours

Eye Contact	Mildly Irritating (Rabbit)
Skin Contact	lightly Irritating (Rabbit)
Skin Sensitization	Not a Sensitizer (Guinea Pig)

REPRODUCTIVE & DEVELOPMENTAL EFFECTS

DIQUAT DIBROMIDE	MUTAGENICITY:	No evidence in in vivo assays.
	DEVELOPMENTAL TOXICITY:	In rabbit studies a small percentage of fetuses had minor defects at 3 and 10 mg ion/kg/d.

CHRONIC/SUB-CHRONIC TOXICITY STUDIES

DIQUAT DIBROMIDE: Kidney weight decreases and cataracts seen in dogs at 12.5 mg ion/kg/d. No evidence for neurotoxic effects in rats dosed up to 400 ppm ion in the diet for 13 weeks.

CARCINOGENICITY

DIQUAT DIBROMIDE: No evidence of carcinogenicity in rat and mouse studies.

OTHER TOXICITY INFORMATION: None
TOXICITY OF OTHER COMPONENTS: Not Applicable

TARGET ORGANS

ACTIVE INGREDIENTS:
DIQUAT DIBROMIDE: Eye, kidney
INERT INGREDIENTS: Not Applicable

SECTION 12: ECOLOGICAL INFORMATION

This pesticide is toxic to aquatic invertebrates. For Terrestrial Uses do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters. For Aquatic Uses do not apply directly to water except as specified on this label.

SUMMARY OF EFFECTS

DIQUAT DIBROMIDE: Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

ECO-ACUTE TOXICITY

SUBSTANCE	TEST TYPE (SPECIES)	VALUE
Diquat dibromide	Fish (Rainbow Trout)	96-hour LC50 14.83ppm
	Fish (Bluegill Sunfish)	96-hour LC50 13.9ppm
	Bird (Mallard Duck)	LD50 Oral 60.6 mg/kg
	Bird (Bobwhite Quail)	8-day dietary LC50 2932
	Bird (Mallard Duck)	8-day dietary LC50 . 5000ppm
	Bee (Contact)	LD50 100ug/bee
	Invertebrate (Water Flea)	48-hour EC50 0.77ppm
	Green Algae	4-day EC50 9.4ppb

ECO-CHRONIC TOXICITY

SUBSTANCE	TEST TYPE (SPECIES)	VALUE
Diquat dibromide	Invertebrate (Water Flea)	21-day LOEC 0.17ppm
	Bird (Mallard Duck)	Reproduction LOEL 25ppm
	Fish (Fathead Minnow)	34-day LOEC 1.5ppm

ENVIRONMENTAL FATE

DIQUAT DIBROMIDE: The information presented here is for the active ingredient, diquat dibromide. Stable in soil water. Immobile in soil. Sinks in water (after 24 hr).

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:

Treatment, storage, transportation and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations. Do not flush to surface water or sanitary sewer system.

DISPOSAL:

Do not contaminate water, food or feed by storage. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or

Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

Triple rinse containers. Puncture container to avoid re-use. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning. If burned, stay out of smoke.

SECTION 14: TRANSPORTATION INFORMATION

DOT CLASSIFICATION:	Corrosive Liquid, N.O.S. (Diquat Dibromide),8,UN1760,PGIII
IMDG CLASSIFICATION:	Corrosive Liquid, N.O.S. (Diquat Dibromide),8,UN1760,PGIII
B/L FREIGHT CLASSIFICATION:	Herbicides, NOI (NMC Class 60)

SECTION 15: REGULATORY INFORMATION

EPCRA SARA TITLE III CLASSIFICATION	Acute Health Hazard
SECTION 311/312 HAZARD CLASSES:	Chronic Health Hazard
SECTION 313 TOXIC CHEMICALS:	Not Applicable
CALIFORNIA PROPOSITION 65:	None
CERCLA/SARA 302 REPORTABLE QUANTITY (RQ):	Report product spills >= 268 gal.(based on diquat [RQ=1,000lbs] content in the formulation)
RCRA HAZARDOUS WASTE CLASSIFICATION (40 CFR 261):	Not Applicable
TSCA STATUS:	Exempt from TSCA, subject to FIFRA

SECTION 16: OTHER INFORMATION

The above information is given in good faith, and is based upon research of others, and is believed to be accurate by Airmax®, Inc. No known relevant information has been omitted. The above information is designed to enable the User to use the product safely, and is provided solely for the User's assistance in complying with the Occupational Safety and Health Act of 1970, and the regulations there under. Any other use is prohibited. Airmax®, Inc. assumes no responsibility or liability for any loss, injury, or damage, which may occur from the use or misuse of their products. Also, because actual use by others is beyond our control, no guarantee or warranty, is either expressed or implied, by Airmax®, Inc., as to the product or its use or misuse. Where the Customer has concerns, it is recommended that the Customer(s) perform their own tests.